

~~01/42,226~~

01/429,226

L Number	Hits	Search Text	DB	Time stamp
24	685	(configuration near2 chang\$3) same remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:00
25	279	(highlight\$3 near3 difference) same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 13:56
27	116	((configuration near2 chang\$3) same remote) same (report\$3 or send\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:01
26	5	((highlight\$3 near3 difference) same data) same configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 13:57
23	16	(configuration adj data) same time-stamp\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 13:58
28	981	(configuration adj data) same remote	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:01
29	234	((configuration adj data) same remote) same (report\$3 or send\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:01
30	145	((configuration adj data) same remote) same (report\$3 or send\$3)) and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:02
31	70	((configuration near2 chang\$3) same remote) same (report\$3 or send\$3)) and compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:02
32	197	((configuration adj data) same remote) same (report\$3 or send\$3)) and compar\$4) or (((configuration near2 chang\$3) same remote) same (report\$3 or send\$3)) and compar\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/18 14:02

Best Available Copy

	Type	Hits	Search Text	DBs
1	BRS	148	(base adj configuration) same (compar\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	48	((base adj configuration) same (compar\$4)) same current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	823	test\$3 near2 (path or link) near3 (component or device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	26	(test\$3 near2 (path or link) near3 (component or device)) same isolat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	1	2002-674089.NRAN.	DERWENT
6	BRS	38	suspect adj list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	27	troubleshoot\$3 same ((plurality or multiple) near2 test\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	2	troubleshoot\$3 same (process near2 elimination)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	0	((plurality or multiple) near2 test\$3) same (process near2 elimination)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	559	(component or device) same network same troubleshoot\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	21	((component or device) same network same troubleshoot\$3) same isolat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	35	troubleshoot\$3 near3 list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	205	troubleshoot\$3 same ((cause or source or root) near2 (fail\$3 or fault or error))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	20	(troubleshoot\$3 same ((cause or source or root) near2 (fail\$3 or fault or error))) same list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	30	(troubleshoot\$3 near3 list) not ((troubleshoot\$3 same ((cause or source or root) near2 (fail\$3 or fault or error))) same list)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	37	(list or table) near2 possib\$5 near2 (cause or source or root) near2 (fault or fail\$3 or error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Best Available Copy

	Type	Hits	Search Text	DBs
17	BRS	0	remov\$3 near3 (list or table) near2 possib\$5 near2 (cause or source or root) near2 (fault or fail\$3 or error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	38	remov\$3 near3 possib\$5 near2 (cause or source or root) near2 (fault or fail\$3 or error)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	195	"5261044"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	2	5261044.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	1866	(isolat\$3 near2 (fail\$3 or fault or error)) same test\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	16	(isolat\$3 near2 (fail\$3 or fault or error)) same (plurality near2 test\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	170	compar\$4 near3 (configuration adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	4	(compar\$4 near3 (configuration adj data) ) same diagnos\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	5	(compar\$4 near3 (configuration adj data) ) same base	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	13348	compar\$4 near3 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	45	(compar\$4 near3 configuration ) same diagnos\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	728	(compar\$4 near3 configuration ) same base	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	2	((compar\$4 near3 configuration ) same diagnos\$4) same base	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	43	((compar\$4 near3 configuration ) same diagnos\$4) not (((compar\$4 near3 configuration ) same diagnos\$4) same base)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	48	(differen\$3 near2 configuration) same highlight\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	40	captur\$3 near3 (configuration adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

Best Available Copy

	Type	Hits	Search Text	DBs
33	BRS	16	(compar\$4 near3 (configuration adj data) ) same current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	5	(compar\$4 near3 (configuration adj data) ) same previous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	20	((compar\$4 near3 (configuration adj data) ) same current) or ((compar\$4 near3 (configuration adj data) ) same previous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	IS&R	3	(("5455933") or ("5748877") or ("5854828")).PN.	USPAT
37	BRS	1242	(compar\$4 near3 configuration ) same current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	35	((compar\$4 near3 configuration ) same current) same previous	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	33	((((compar\$4 near3 configuration ) same current) same previous) not (((compar\$4 near3 (configuration adj data) ) same current) or ((compar\$4 near3 (configuration adj data) ) same previous)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	54	(time adj stamp\$3) near2 configuration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	54	base adj configuration adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	3	(base adj configuration adj data) same current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	51	(base adj configuration adj data) not ((base adj configuration adj data) same current)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	149	714/36.ccls.	USPAT; US-PGPUB

Best Available Copy

Number	Hits	Search Text	DB	Time stamp
7	1275	compar\$4 same (configuration near2 chang\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:57
8	154	(compar\$4 same (configuration near2 chang\$3)) and diagnos\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 11:58

Best Available Copy